MINUTE ITEM

4. DREDGING PERMIT, TIDE AND SUBMERGED LANDS, SAN DIEGO BAY, SAN DIEGO COUNTY; SAN DIEGO UNIFIED PORT DISTENDED M.O. 6976, P.R.C. 3988.9.

After consideration of Constant attached, and upon motion duly made olution was adopted:

THE COMMISSION AUTHORIZES PERMIT TO THE SAN DIEGO UNIFIED PORT DISTRICT TO DREDGE APPROXIMATELY 50,000 CUBIC YARDS OF MATERIAL FROM AN AREA OF TIDE AND SUBMERGED LANDS IN SAN DIEGO BAY AND TO DEPOSIT THE MATERIAL IN AN AREA NEAR THE FOOT OF "J" STREET, CHULA VISTA. THE AREA TO BE DREDGED IS DESCRIBED ON EXHIBIT "A" ATTACHED AND BY REFERENCE MADE A PART HEREOF.

Attachment Calendar Item 23 (3 pages)

A 77 S 39 7/17/68

CALENDAR ITEM

23.

DREDGIIIG PERMIT

APPLICANT: San Diego Unified Port District

- LOCATION: Tide and submerged lands, San Diego Bay
- FURPOSE: To dredge a navigational channel and fill adjacent to "J" Street in the City of Chula Vista
- AMOUNT TO BE DREDGED:

Approximately 550,000 cubic yards

DISPOSITION OF DREDGED MATERIAL: Bayward of the mean high tide line in a fill area under jurisdiction of the District

CONSIDERATION: The public benefit

BASIS FOR CONSIDERATION:

Creation of navigable waterway for prospective tenants of the present fill areas and areas to be filled within corporate limits of City of Chula Vista

STATUTORY AND OTHER REFERENCES: Public Resources Code: Division 6, Section 6303 Ch. 1744/Stats. 1965

OTHER PERTINENT INFORMATION:

- a. Of the amount to be dredged (550,000 cubic yards), it is estimated that approximately 60,000 cubic yards will be lost from the fill area as mud in solution and "runoff" which re-enters the bay.
- b. The U.S. Corps of Engineers has issued a Department of the Army permit which authorizes the proposed operations.
- c. The various State agencies involved have been contacted and made the following comments:
 - 1. Department of Fish and Game No objection, in that fish and wildlife will not be significantly affected by the proposed project.
 - 2. Department of Water Resources Major interests of the Department in the area are beach erosion and seawater intrusion. Accordingly, the Department has no objection to the granting of the permit.

3

CALENDAR ITEM 23. (CONTD.)

- 3. The San Diego Regional Water Quality Control Board -Issued Resolution 66-22 regulating the project.
- 4. The Department of Parks and Recreation No objection because operation will not affect any program or project of that Department.

EXHIBITS: A. Description B. Location map

IT IS RECOMMENDED THAT THE COMMISSION AUTHORIZE THE ISSUANCE OF A PERMIT TO THE SAN DIEGO UNIFIED PORT DISTRICT TO DREDGE APPROXIMATELY 550,000 CUBIC YARDS ^F MATERIAL FROM AN AREA OF TIDE AND SUBMERGED LANDS IN SAN DIEGO BAY AND TO DEPOSIT THE MATERIAL IN AN AREA NEAR THE FOOT OF "J" STREET, CHUIA VISTA. THE AREA TO BE DREDGED IS DESCRIBED ON EXHIBIT "A" ATTACHED AND BY REFERENCE MADE A PART HEREOF.

Attachment: Exhibit "A"

<u></u>

807

EXHIBIT "A"

W.O. 6976

DESCRIPTION OF DREDGE AREA

Beginning at Harbor Line Station No. 489-B on the U. S. Combined Pierhead and Bulkhead Line, as said combined line was established for the Bay of San Diego by the Corps of Engineers; thence along said combined line North 25° 54' 03" West a distance of 2,050 feet to the true point of beginning; thence leaving said combined line North 66°51' 03" West a distance of 300 feet; thence North 25° 54' 03" West a distance of 2,040 feet; thence North 38° 24' 03" West a distance of 3,440 feet; thence North 51° 35' 57" East a distance of 100 feet; thence South 38° 24' 03" East a distance of 3,450 feet; thence South 25° 54' 03" East a distance of 1,970 feet; thence South 66° 51' 03" East a distance of 260 feet; thence North 72° 12' 00" East a distance of 2,150 feet; thence South 17° 48' 00" East a distance of 240 feet; thence South 72° 12' 00" West a distance of 2,200 feet; thence North 25° 54' 03" West a distance of 120 feet more or less to the true point of beginning, containing approximately 26.6 acres of water-covered area.

-3-

-~

808