

Cruise Report

U.S. Geological Survey Cruise Report 2018-661-FA

October 10, 2018

Andrew Stevens and Tim Elfers

USGS

Summary

Between September 12 and 14, 2018 the Pacific Coastal and Marine Science Center of the U.S. Geological Survey (USGS) conducted a survey collecting bathymetry data offshore of the Monterey County shoreline, between Moss Landing and Monterey, CA. The work was conducted using personal water craft (PWC) out of the Moss Landing and Monterey harbors. This survey is part of a series designed to document changes in shoreline position and coastal morphology in southern Monterey Bay related to episodic, seasonal and interannual processes.

The majority of the California coastline is actively eroding and major storms (El Niño) have caused significant shoreline retreat and property damage. During the next 100 years, sea level is projected to rise ~1 m in California (NRC, 2012), making it increasingly important to understand the complex sediment transport and sedimentation patterns that control beach morphodynamics. The West Coast of the United States is among the least understood of the coastal environments, because high wave energy has limited the use of traditional monitoring methods used to study processes controlling sediment transport. The Monterey Littoral Cell has a wide range of coastal morphologic settings, wave exposure, river influences, levels of coastal development and flooding vulnerabilities, making it an excellent opportunity to understand how different sites respond on storm and interannual time scales. In addition, the surveys are designed to capture effects the closure of the Cemex sand mine in southern Monterey Bay, scheduled to occur by the end of 2020. This research project has received authorization through the Monterey Bay National Marine Sanctuary under permit **MBNMS-2017-010-A1**, the California Department of Parks and Recreation **18-820-07**, and Salinas River National Wildlife Refuge **2018-02**.

The USGS research activity 2018-661-FA took place between September 12 and 14, 2018. All operations took place during daylight hours between 10:22 AM and 2:23 PM Pacific Daylight Time (PDT). Bathymetric mapping was conducted using a PWC, each equipped with a 200 kHz single beam echosounder and a GPS receiver. In accordance with the MBNMS permit, the vessels launched at the Moss Landing or Monterey harbor and transited directly to the survey sites (Figure 1) and operated at speeds at, or less than, 4 knots once at the survey site. Fueling occurred prior to launching the vessels and did not land on the shoreline. Prior to operation, the U.S. Coast Guard and two MBNMS points of contact were notified of the plan and purpose for the survey. Figure 1 shows the location of the survey track lines, with track line time and starting and ending locations listed in Table 1. Weather observations are provided in Appendix A and marine wildlife observations are provided in Appendix B. Exhibit H is provided in Appendix C.

References

National Research Council, 2012. Sea-Level Rise for the Coastal of California, Oregon, and Washington: Past, Present, and Future. Washington, DC: The National Academies Press.




Figure 1. Extent of bathymetric data collected between September 12 and 14, 2018 offshore of Monterey County.

Table 1. Survey track information.

Filename	Start Time (PDT)	Start Latitude (deg.)	Start Longitude (deg.)	End Time (PDT)	End Latitude (deg.)	End Longitude (deg.)
001_1022.RAW	9/12/2018 10:22	36.804900	-121.791289	9/12/2018 10:23	36.805675	-121.789378
002_1021.RAW	9/12/2018 10:24	36.804792	-121.789006	9/12/2018 10:25	36.804236	-121.791095
003_1024.RAW	9/12/2018 10:24	36.805046	-121.789111	9/12/2018 10:26	36.804450	-121.791318
004_1024.RAW	9/12/2018 10:26	36.803841	-121.788908	9/12/2018 10:27	36.803762	-121.790756
005_1026.RAW	9/12/2018 10:26	36.804011	-121.790825	9/12/2018 10:27	36.804181	-121.788974
006_1026.RAW	9/12/2018 10:27	36.803092	-121.789246	9/12/2018 10:28	36.803133	-121.790673
007_1028.RAW	9/12/2018 10:28	36.803441	-121.789186	9/12/2018 10:29	36.803461	-121.790687
008_1027.RAW	9/12/2018 10:29	36.802333	-121.789303	9/12/2018 10:30	36.802435	-121.790843
009_1029.RAW	9/12/2018 10:29	36.802781	-121.790668	9/12/2018 10:30	36.802593	-121.789306
011_1030.RAW	9/12/2018 10:30	36.801767	-121.789415	9/12/2018 10:31	36.802104	-121.790991
010_1029.RAW	9/12/2018 10:31	36.801424	-121.789380	9/12/2018 10:32	36.801692	-121.791263
013_1032.RAW	9/12/2018 10:32	36.801364	-121.791009	9/12/2018 10:32	36.800888	-121.789653
012_1031.RAW	9/12/2018 10:33	36.801049	-121.789673	9/12/2018 10:33	36.800938	-121.790186
015_1033.RAW	9/12/2018 10:33	36.800266	-121.790292	9/12/2018 10:35	36.801137	-121.793141
013_1033.RAW	9/12/2018 10:34	36.801009	-121.789704	9/12/2018 10:35	36.801418	-121.791209
013_1034.RAW	9/12/2018 10:35	36.800636	-121.789957	9/12/2018 10:37	36.801265	-121.792135
014_1035.RAW	9/12/2018 10:37	36.799939	-121.790706	9/12/2018 10:39	36.801044	-121.794144
017_1038.RAW	9/12/2018 10:38	36.800847	-121.794882	9/12/2018 10:40	36.799395	-121.790988
016_1037.RAW	9/12/2018 10:40	36.800236	-121.796727	9/12/2018 10:43	36.798666	-121.791936
019_1042.RAW	9/12/2018 10:42	36.799511	-121.797979	9/12/2018 10:46	36.797476	-121.793687
018_1040.RAW	9/12/2018 10:44	36.797002	-121.792534	9/12/2018 10:47	36.798546	-121.798862
021_1048.RAW	9/12/2018 10:48	36.797617	-121.799511	9/12/2018 10:51	36.795993	-121.793226
020_1044.RAW	9/12/2018 10:48	36.796863	-121.800528	9/12/2018 10:51	36.795208	-121.793492
023_1053.RAW	9/12/2018 10:53	36.796004	-121.800940	9/12/2018 10:57	36.794259	-121.793387
022_1048.RAW	9/12/2018 10:53	36.795057	-121.801565	9/12/2018 10:57	36.793365	-121.793787
024_1053.RAW	9/12/2018 10:59	36.792353	-121.802676	9/12/2018 11:03	36.790742	-121.794607
025_1059.RAW	9/12/2018 10:59	36.794122	-121.802214	9/12/2018 11:03	36.792544	-121.794081
027_1107.RAW	9/12/2018 11:07	36.790654	-121.803160	9/12/2018 11:11	36.789015	-121.795136
026_1059.RAW	9/12/2018 11:07	36.789110	-121.804121	9/12/2018 11:11	36.787271	-121.795810
029_1113.RAW	9/12/2018 11:13	36.787267	-121.804167	9/12/2018 11:17	36.785570	-121.796100
028_1107.RAW	9/12/2018 11:16	36.785675	-121.805376	9/12/2018 11:21	36.783796	-121.796867
031_1121.RAW	9/12/2018 11:21	36.783602	-121.806000	9/12/2018 11:25	36.781934	-121.797099
030_1116.RAW	9/12/2018 11:24	36.781963	-121.807013	9/12/2018 11:28	36.780179	-121.797869
032_1124.RAW	9/12/2018 11:31	36.778215	-121.808447	9/12/2018 11:37	36.776662	-121.798921
033_1133.RAW	9/12/2018 11:33	36.779986	-121.807736	9/12/2018 11:38	36.778476	-121.798444
034_1131.RAW	9/12/2018 11:40	36.774714	-121.809757	9/12/2018 11:45	36.773150	-121.799903
035_1140.RAW	9/12/2018 11:40	36.776457	-121.808711	9/12/2018 11:45	36.774943	-121.799160
036_1140.RAW	9/12/2018 11:47	36.771172	-121.810660	9/12/2018 11:52	36.769619	-121.800650
037_1147.RAW	9/12/2018 11:47	36.773020	-121.810467	9/12/2018 11:52	36.771448	-121.800390
038_1147.RAW	9/12/2018 11:55	36.767684	-121.811811	9/12/2018 12:00	36.766074	-121.801431
039_1155.RAW	9/12/2018 11:55	36.769426	-121.810672	9/12/2018 11:59	36.767949	-121.800994
041_1202.RAW	9/12/2018 12:02	36.766534	-121.812103	9/12/2018 12:08	36.764364	-121.801637
040_1155.RAW	9/12/2018 12:03	36.764715	-121.812512	9/12/2018 12:08	36.762614	-121.802327

042_1203.RAW	9/12/2018 12:12	36.761455	-121.814623	9/12/2018 12:18	36.759152	-121.803672
043_1214.RAW	9/12/2018 12:14	36.762900	-121.813027	9/12/2018 12:20	36.760772	-121.802576
044_1212.RAW	9/12/2018 12:24	36.757075	-121.815818	9/12/2018 12:30	36.755619	-121.804758
046_1224.RAW	9/12/2018 12:24	36.759480	-121.815161	9/12/2018 12:25	36.759033	-121.813199
046_1226.RAW	9/12/2018 12:26	36.759351	-121.815091	9/12/2018 12:32	36.757292	-121.804113
048_1224.RAW	9/12/2018 12:33	36.752984	-121.816340	9/12/2018 12:38	36.751934	-121.805606
050_1235.RAW	9/12/2018 12:35	36.754949	-121.816396	9/12/2018 12:41	36.753756	-121.804916
052_1233.RAW	9/12/2018 12:43	36.748889	-121.816511	9/12/2018 12:48	36.748258	-121.805973
054_1244.RAW	9/12/2018 12:44	36.751063	-121.816182	9/12/2018 12:49	36.750153	-121.805920
056_1243.RAW	9/12/2018 12:51	36.745284	-121.816039	9/12/2018 12:56	36.744776	-121.806484
058_1252.RAW	9/12/2018 12:52	36.747052	-121.816547	9/12/2018 12:58	36.746509	-121.806231
060_1251.RAW	9/12/2018 12:59	36.741481	-121.816024	9/12/2018 13:04	36.741085	-121.806629
062_1302.RAW	9/12/2018 13:02	36.743455	-121.816507	9/12/2018 13:07	36.743035	-121.806934
064_1259.RAW	9/12/2018 13:07	36.737836	-121.815264	9/12/2018 13:11	36.737498	-121.806765
066_1311.RAW	9/12/2018 13:11	36.739700	-121.815928	9/12/2018 13:15	36.739123	-121.806374
068_1307.RAW	9/12/2018 13:14	36.734131	-121.814951	9/12/2018 13:18	36.733903	-121.807226
070_1318.RAW	9/12/2018 13:18	36.736050	-121.814961	9/12/2018 13:22	36.735738	-121.806640
072_1314.RAW	9/12/2018 13:21	36.730500	-121.814871	9/12/2018 13:24	36.730298	-121.807362
074_1326.RAW	9/12/2018 13:25	36.732407	-121.814660	9/12/2018 13:29	36.732122	-121.807258
076_1321.RAW	9/12/2018 13:28	36.728713	-121.814481	9/12/2018 13:32	36.728500	-121.807104
080_1332.RAW	9/12/2018 13:32	36.726881	-121.814375	9/12/2018 13:36	36.726775	-121.807111
078_1328.RAW	9/12/2018 13:34	36.725103	-121.814352	9/12/2018 13:38	36.724860	-121.807187
084_1338.RAW	9/12/2018 13:38	36.723308	-121.814559	9/12/2018 13:38	36.723305	-121.814558
084_1338_0001.RAW	9/12/2018 13:38	36.723292	-121.814550	9/12/2018 13:42	36.722931	-121.807264
082_1334.RAW	9/12/2018 13:41	36.721437	-121.814404	9/12/2018 13:44	36.721307	-121.807397
088_1346.RAW	9/12/2018 13:46	36.719874	-121.813661	9/12/2018 13:50	36.719683	-121.807953
086_1341.RAW	9/12/2018 13:46	36.718094	-121.814008	9/12/2018 13:50	36.717722	-121.807647
092_1351.RAW	9/12/2018 13:51	36.716593	-121.813819	9/12/2018 13:54	36.716043	-121.807627
090_1346.RAW	9/12/2018 13:52	36.714746	-121.813642	9/12/2018 13:55	36.714149	-121.807914
094_1352.RAW	9/12/2018 13:58	36.712940	-121.813859	9/12/2018 14:01	36.712400	-121.808283
096_1358.RAW	9/12/2018 14:03	36.709350	-121.814283	9/12/2018 14:06	36.708830	-121.808983
098_1403.RAW	9/12/2018 14:03	36.711095	-121.813882	9/12/2018 14:06	36.710634	-121.808525
102_1408.RAW	9/12/2018 14:08	36.707722	-121.814272	9/12/2018 14:10	36.707293	-121.809300
100_1403.RAW	9/12/2018 14:09	36.705977	-121.814969	9/12/2018 14:12	36.705304	-121.809654
106_1412.RAW	9/12/2018 14:12	36.704149	-121.815273	9/12/2018 14:15	36.703494	-121.809671
104_1409.RAW	9/12/2018 14:14	36.702321	-121.815307	9/12/2018 14:16	36.701712	-121.810198
112_1148.RAW	9/12/2018 14:18	36.698823	-121.815807	9/12/2018 14:21	36.698146	-121.810777
110_1421.RAW	9/12/2018 14:21	36.700538	-121.815287	9/12/2018 14:23	36.699806	-121.810351
108_1414.RAW	9/14/2018 11:48	36.698776	-121.815888	9/14/2018 11:51	36.698137	-121.810662
112_1418.RAW	9/14/2018 11:52	36.696981	-121.815918	9/14/2018 11:54	36.696352	-121.811033
112_1153.RAW	9/14/2018 11:53	36.698742	-121.815095	9/14/2018 11:55	36.698175	-121.810902
113_1152.RAW	9/14/2018 11:55	36.694555	-121.811392	9/14/2018 11:58	36.695113	-121.815811
112_1557.RAW	9/14/2018 11:57	36.693473	-121.816459	9/14/2018 11:59	36.692874	-121.811724
114_1155.RAW	9/14/2018 11:59	36.691946	-121.816888	9/14/2018 12:01	36.691093	-121.812278
115_1157.RAW	9/14/2018 12:00	36.690185	-121.817243	9/14/2018 12:03	36.689236	-121.812609
116_1159.RAW	9/14/2018 12:02	36.687590	-121.813166	9/14/2018 12:05	36.688340	-121.817559

117_1200.RAW	9/14/2018 12:04	36.685701	-121.813788	9/14/2018 12:06	36.686591	-121.817965
118_1202.RAW	9/14/2018 12:06	36.684913	-121.818952	9/14/2018 12:08	36.684085	-121.814322
119_1204.RAW	9/14/2018 12:07	36.683436	-121.819501	9/14/2018 12:10	36.682397	-121.814800
120_1206.RAW	9/14/2018 12:09	36.680586	-121.815506	9/14/2018 12:11	36.681544	-121.819529
121_1207.RAW	9/14/2018 12:11	36.679883	-121.820204	9/14/2018 12:13	36.678932	-121.815895
122_1209.RAW	9/14/2018 12:12	36.678366	-121.820886	9/14/2018 12:14	36.677171	-121.816562
124_1212.RAW	9/14/2018 12:14	36.677135	-121.816563	9/14/2018 12:14	36.677167	-121.816682
123_1211.RAW	9/14/2018 12:15	36.676554	-121.821408	9/14/2018 12:17	36.675522	-121.817166
126_1214.RAW	9/14/2018 12:16	36.673534	-121.818082	9/14/2018 12:18	36.674797	-121.821911
125_1215.RAW	9/14/2018 12:18	36.673137	-121.822992	9/14/2018 12:21	36.672063	-121.818756
126_1216.RAW	9/14/2018 12:20	36.671437	-121.823605	9/14/2018 12:22	36.670342	-121.819384
127_1218.RAW	9/14/2018 12:22	36.669795	-121.823863	9/14/2018 12:24	36.668722	-121.819963
128_1220.RAW	9/14/2018 12:25	36.668131	-121.824775	9/14/2018 12:27	36.666910	-121.820699
129_1222.RAW	9/14/2018 12:26	36.666472	-121.825578	9/14/2018 12:28	36.665249	-121.821472
130_1225.RAW	9/14/2018 12:28	36.663718	-121.822304	9/14/2018 12:30	36.664719	-121.825981
131_1226.RAW	9/14/2018 12:29	36.663135	-121.827175	9/14/2018 12:32	36.661851	-121.822843
132_1228.RAW	9/14/2018 12:31	36.661447	-121.827867	9/14/2018 12:34	36.660147	-121.823768
133_1229.RAW	9/14/2018 12:33	36.659844	-121.828990	9/14/2018 12:36	36.658524	-121.824530
134_1231.RAW	9/14/2018 12:35	36.658036	-121.829293	9/14/2018 12:37	36.656805	-121.825407
135_1233.RAW	9/14/2018 12:37	36.656615	-121.830395	9/14/2018 12:40	36.655198	-121.826267
136_1235.RAW	9/14/2018 12:38	36.653633	-121.827201	9/14/2018 12:41	36.654825	-121.830958
137_1237.RAW	9/14/2018 12:42	36.653142	-121.831727	9/14/2018 12:44	36.651769	-121.828005
138_1239.RAW	9/14/2018 12:42	36.651681	-121.833080	9/14/2018 12:44	36.650188	-121.829028
140_1242.RAW	9/14/2018 12:45	36.647062	-121.831022	9/14/2018 12:48	36.648444	-121.834583
139_1242.RAW	9/14/2018 12:46	36.649963	-121.833542	9/14/2018 12:48	36.648473	-121.829809
141_1246.RAW	9/14/2018 12:49	36.646788	-121.835397	9/14/2018 12:50	36.645219	-121.831863
142_1245.RAW	9/14/2018 12:49	36.645452	-121.836598	9/14/2018 12:51	36.643742	-121.832781
143_1249.RAW	9/14/2018 12:52	36.642174	-121.833875	9/14/2018 12:54	36.643552	-121.837291
144_1249.RAW	9/14/2018 12:52	36.640688	-121.834741	9/14/2018 12:54	36.642132	-121.838424
145_1252.RAW	9/14/2018 12:54	36.640615	-121.839421	9/14/2018 12:57	36.638934	-121.835806
146_1252.RAW	9/14/2018 12:56	36.639130	-121.840768	9/14/2018 12:58	36.637258	-121.836838
148_1256.RAW	9/14/2018 12:59	36.636045	-121.837890	9/14/2018 13:02	36.637431	-121.841636
149_1259.RAW	9/14/2018 13:02	36.635862	-121.842561	9/14/2018 13:04	36.634205	-121.839188
147_1254.RAW	9/14/2018 13:04	36.634250	-121.843552	9/14/2018 13:06	36.632588	-121.840003
150_1302.RAW	9/14/2018 13:05	36.631177	-121.841268	9/14/2018 13:08	36.632763	-121.845017
151_1304.RAW	9/14/2018 13:08	36.631393	-121.846503	9/14/2018 13:10	36.629531	-121.842328
152_1305.RAW	9/14/2018 13:09	36.629711	-121.847348	9/14/2018 13:11	36.627951	-121.843653
153_1308.RAW	9/14/2018 13:11	36.628382	-121.848218	9/14/2018 13:13	36.626565	-121.844674
154_1309.RAW	9/14/2018 13:12	36.627067	-121.849743	9/14/2018 13:15	36.624954	-121.846062
155_1312.RAW	9/14/2018 13:15	36.625589	-121.850905	9/14/2018 13:17	36.623502	-121.847414
156_1312.RAW	9/14/2018 13:16	36.624180	-121.851986	9/14/2018 13:18	36.622102	-121.848666
157_1315.RAW	9/14/2018 13:18	36.622848	-121.853406	9/14/2018 13:20	36.620602	-121.850021
158_1316.RAW	9/14/2018 13:19	36.621544	-121.854996	9/14/2018 13:21	36.619168	-121.851361
159_1318.RAW	9/14/2018 13:21	36.620069	-121.856146	9/14/2018 13:23	36.617834	-121.852759
160_1319.RAW	9/14/2018 13:24	36.618931	-121.857410	9/14/2018 13:26	36.616479	-121.854195
161_1321.RAW	9/14/2018 13:25	36.617699	-121.859107	9/14/2018 13:27	36.615081	-121.855707

162_1324.RAW	9/14/2018 13:28	36.616457	-121.860348	9/14/2018 13:30	36.613827	-121.857187
163_1325.RAW	9/14/2018 13:31	36.612907	-121.858464	9/14/2018 13:33	36.615056	-121.861694
164_1328.RAW	9/14/2018 13:32	36.614150	-121.863324	9/14/2018 13:35	36.611177	-121.860196
165_1331.RAW	9/14/2018 13:34	36.612944	-121.864879	9/14/2018 13:36	36.610141	-121.861907
166_1332.RAW	9/14/2018 13:36	36.611975	-121.866186	9/14/2018 13:39	36.608902	-121.863625
167_1334.RAW	9/14/2018 13:37	36.610879	-121.867845	9/14/2018 13:40	36.607848	-121.865373
168_1336.RAW	9/14/2018 13:40	36.609939	-121.869681	9/14/2018 13:43	36.606618	-121.867101
169_1337.RAW	9/14/2018 13:41	36.608726	-121.871195	9/14/2018 13:43	36.605779	-121.868930
170_1340.RAW	9/14/2018 13:44	36.608206	-121.873124	9/14/2018 13:46	36.604807	-121.870939
171_1341.RAW	9/14/2018 13:45	36.607461	-121.874644	9/14/2018 13:47	36.603923	-121.872830
172_1344.RAW	9/14/2018 13:48	36.607091	-121.876430	9/14/2018 13:48	36.606881	-121.876250
173_1345.RAW	9/14/2018 13:48	36.606918	-121.877439	9/14/2018 13:51	36.602902	-121.875725
174_1348.RAW	9/14/2018 13:51	36.607141	-121.876446	9/14/2018 13:53	36.603209	-121.874773
175_1348.RAW	9/14/2018 13:53	36.606826	-121.879250	9/14/2018 13:56	36.602261	-121.877984
174_1351.RAW	9/14/2018 13:55	36.606816	-121.878515	9/14/2018 13:58	36.602474	-121.876922
177_1353.RAW	9/14/2018 13:57	36.606551	-121.880921	9/14/2018 14:00	36.601807	-121.880009
176_1355.RAW	9/14/2018 13:59	36.606811	-121.880145	9/14/2018 14:01	36.604183	-121.879474
179_1357.RAW	9/14/2018 14:03	36.601620	-121.881199	9/14/2018 14:06	36.606114	-121.881877
180_1403.RAW	9/14/2018 14:06	36.606255	-121.882724	9/14/2018 14:09	36.601366	-121.882175
178_1359.RAW	9/14/2018 14:07	36.606737	-121.880088	9/14/2018 14:10	36.602012	-121.878975
178_1407.RAW	9/14/2018 14:11	36.601337	-121.882984	9/14/2018 14:15	36.606335	-121.883584
181_1406.RAW	9/14/2018 14:12	36.606194	-121.884333	9/14/2018 14:15	36.601206	-121.884144
182_1411.RAW	9/14/2018 14:15	36.606522	-121.884854	9/14/2018 14:19	36.601109	-121.885663
183_1412.RAW	9/14/2018 14:18	36.605618	-121.886151	9/14/2018 14:21	36.601276	-121.887031
184_1415.RAW	9/14/2018 14:21	36.601459	-121.887683	9/14/2018 14:25	36.607030	-121.887027
185_1418.RAW	9/14/2018 14:22	36.601841	-121.888760	9/14/2018 14:26	36.606991	-121.888118

Appendix A: Weather Observation Forms

Marine Environmental Variables Form

Date: 9/12 – 9/14

Date	Time	Latitude	Longitude	Vessel Activity	Weather	Cloud Cover	Glare	Visibility	Wind Speed	Sea State	Swell Height	Monitors
9/12	9:30 am	36.798965°	-121.790201°	Survey	Sunny	Partial	None	5+ nm	Light	Calm	4-5 ft	Monitor: Andrew Stevens, Josh Logan
9/14	11:30 am	36.698075°	-121.809659°	Survey	Sunny	None	None	Unlimited	5-10 knots	Calm	2-3 ft	Monitor: Andrew Stevens, Jon Warrick

Appendix B: Marine Wildlife Observations

Marine Wildlife Observations Form

Date: 9/12/2018

Monitor: Andrew Stevens

Time: 10:45 am	Latitude: 36.797476°	Longitude: -121.793687°
Weather: Sunny	Cloud Cover: Partial	Glare: None
Visibility: 5+ nm	Wind Speed: Light	Sea State: calm
Swell Height: 4-5 feet	Survey Vessel Activity: Survey	
Marine Wildlife Observations and Interactions:		
Sea otter observed, 4 m water depth		

Time: 1:36 pm	Latitude: 36.724860°	Longitude: -121.807187°
Weather: Sunny	Cloud Cover: None	Glare: None
Visibility: Unlimited	Wind Speed: 5 knots	Sea State: calm
Swell Height: 2-3 feet	Survey Vessel Activity: Survey	
Marine Wildlife Observations and Interactions:		
Porpoise observed, 10 m water depth		

Appendix C: Exhibit H

EXHIBIT H

Mitigation Monitoring Program


Mitigation Measure (MM)	Location and Scope of Mitigation	Effectiveness Criteria	Monitoring or Reporting Action	Responsible Party	Timing	Implementation Date(s) and Initials
Air Quality and Greenhouse Gas (GHG) Emissions (MND Section 3.3.3)						
MM AIR-1: Engine Tuning, Engine Certification, and Fuels. The following measures will be required to be implemented by all Permittees under the Offshore Geophysical Permit Program (OGPP), as applicable depending on the county offshore which a survey is being conducted. Pursuant to section 93118.5 of CARB's Airborne Toxic Control Measures, the Tier 2 engine requirement applies only to diesel-fueled vessels.	<u>All Counties:</u> Maintain all construction equipment in proper tune according to manufacturers' specifications; fuel all off-road and portable diesel-powered equipment with California Air Resources Board (CARB)-certified motor vehicle diesel fuel limiting sulfur content to 15 parts per million or less (CARB Diesel).	Daily emissions of criteria pollutants during survey activities are minimized.	Determine engine certification of vessel engines. Review engine emissions data to assess compliance, determine if changes in tuning or fuel are required.	OGPP permit holder and contract vessel operator; California State Lands Commission (CSLC) review of Final Monitoring Report.	Prior to, during, and after survey activities. Submit Final Monitoring Report after completion of survey activities.	8/22/18 
	<u>Los Angeles and Orange Counties:</u> Use vessel engines meeting CARB's Tier 2-certified engines or cleaner; the survey shall be operated such that daily NO _x emissions do not exceed 100 pounds based on engine certification emission factors. This can be accomplished with Tier 2 engines if daily fuel use is 585 gallons or less, and with Tier 3 engines if daily fuel use is 935 gallons or less.	Verify that Tier 2 or cleaner engines are being used. Calculate daily NO _x emissions to verify compliance with limitations.				
	<u>San Luis Obispo County:</u> Use vessel engines meeting CARB's Tier 2-certified engines or cleaner, accomplished with Tier 2 engines if daily fuel use is 585 gallons or less; all diesel equipment shall not idle for more than 5 minutes; engine use needed to maintain position in the water is not considered idling; diesel idling within 300 meters (1,000 feet) of sensitive receptors is not permitted; use alternatively fueled construction equipment on site where feasible, such as compressed natural gas, liquefied natural gas, propane or biodiesel.	Verify that Tier 2 or cleaner engines are being used. Inform vessel operator(s) of idling limitation. Investigate availability of alternative fuels.				
	<u>Santa Barbara County:</u> Use vessel engines meeting CARB's Tier 2-certified engines or cleaner, accomplished with Tier 2 engines if daily fuel use is 790 gallons or less.	Verify that Tier 2 or cleaner engines are being used. Investigate availability of alternative fuels.				
	<u>Ventura County:</u> Use alternatively fueled construction equipment on site where feasible, such as compressed natural gas, liquefied natural gas, propane or biodiesel.	Investigate availability of alternative fuels.				

EXHIBIT H

Mitigation Monitoring Program




Mitigation Measure (MM)	Location and Scope of Mitigation	Effectiveness Criteria	Monitoring or Reporting Action	Responsible Party	Timing	Implementation Date(s) and Initials
MM BIO-1: Marine Mammal and Sea Turtle Presence – Current Information.	All State waters; prior to commencement of survey operations, the geophysical operator shall: (1) contact the National Oceanic and Atmospheric Administration Long Beach office staff and local whale-watching operations and shall acquire information on the current composition and relative abundance of marine wildlife offshore, and (2) convey sightings data to the vessel operator and crew, survey party chief, and onboard Marine Wildlife Monitors (MWMs) prior to departure. This information will aid the MWMs by providing data on the approximate number and types of organisms that may be in the area.	No adverse effects to marine mammals or sea turtles due to survey activities are observed.	Document contact with appropriate sources. Submit Final Monitoring Report after completion of survey activities.	OGPP permit holder; Inquiry to NOAA and local whale watching operators.	Prior to survey.	8/22/18 
MM BIO-2: Marine Wildlife Monitors (MWMs).	Except as provided in section 7(h) of the General Permit, a minimum of two (2) qualified MWMs who are experienced in marine wildlife observations shall be onboard the survey vessel throughout both transit and data collection activities. The specific monitoring, observation, and data collection responsibilities shall be identified in the Marine Wildlife Contingency Plan required as part of all Offshore Geophysical Permit Program permits. Qualifications of proposed MWMs shall be submitted to the National Oceanic and Atmospheric Administration (NOAA) and CSLC at least twenty-one (21) days in advance of the survey for their approval by the agencies. Survey operations shall not commence until the CSLC approves the MWMs.	Competent and professional monitoring or marine mammals and sea turtles; compliance with established monitoring policies.	Document contact with and approval by appropriate agencies. Submit Final Monitoring Report after completion of survey activities.	OGPP permit holder.	Prior to survey.	8/22/18 
MM BIO-3: Safety Zone Monitoring.	Onboard Marine Wildlife Monitors (MWMs) responsible for observations during vessel transit shall be responsible for monitoring during the survey equipment operations. All visual monitoring shall occur from the highest practical vantage point aboard the survey vessel; binoculars shall be used to observe the surrounding area, as appropriate. The MWMs will survey an area (i.e., safety or exclusion zone) based on the equipment used, centered on the sound source (i.e., vessel, towfish), throughout time that the survey equipment is operating. Safety zone radial distances, by equipment type, include:	No adverse effects to marine mammals or sea turtles due to survey activities are observed; compliance with established safety zones.	Compliance with permit requirements (observers); compliance with established safety zones. Submit Final Monitoring Report after completion of survey activities.	OGPP permit holder.	Prior to survey.	8/22/18 

EXHIBIT H

Mitigation Monitoring Program

Mitigation Measure (MM)	Location and Scope of Mitigation	Effectiveness Criteria	Monitoring or Reporting Action	Responsible Party	Timing	Implementation Date(s) and Initials												
	<table border="1" data-bbox="464 293 968 496"> <thead> <tr> <th data-bbox="464 293 781 350">Equipment Type</th> <th data-bbox="781 293 968 350">Safety Zone (radius, m)</th> </tr> </thead> <tbody> <tr> <td data-bbox="464 350 781 380">Single Beam Echosounder</td> <td data-bbox="781 350 968 380">50</td> </tr> <tr> <td data-bbox="464 380 781 409">Multibeam Echosounder</td> <td data-bbox="781 380 968 409">500</td> </tr> <tr> <td data-bbox="464 409 781 438">Side-Scan Sonar</td> <td data-bbox="781 409 968 438">600</td> </tr> <tr> <td data-bbox="464 438 781 467">Subbottom Profiler</td> <td data-bbox="781 438 968 467">100</td> </tr> <tr> <td data-bbox="464 467 781 496">Boomer System</td> <td data-bbox="781 467 968 496">100</td> </tr> </tbody> </table> <p data-bbox="403 526 1024 1211">If the geophysical survey equipment is operated at or above a frequency of 200 kilohertz (kHz), safety zone monitoring and enforcement is not required; however, if geophysical survey equipment operated at a frequency at or above 200 kHz is used simultaneously with geophysical survey equipment less than 200 kHz, then the safety zone for the equipment less than 200 kHz must be monitored. The onboard MWMs shall have authority to stop operations if a mammal or turtle is observed within the specified safety zone and may be negatively affected by survey activities. The MWMs shall also have authority to recommend continuation (or cessation) of operations during periods of limited visibility (i.e., fog, rain) based on the observed abundance of marine wildlife. Periodic reevaluation of weather conditions and reassessment of the continuation/cessation recommendation shall be completed by the onboard MWMs. During operations, if an animal's actions are observed to be irregular, the monitor shall have authority to recommend that equipment be shut down until the animal moves further away from the sound source. If irregular behavior is observed, the equipment shall be shut-off and will be restarted and ramped-up to full power, as applicable, or will not be started until the animal(s) is/are outside of the safety zone or have not been observed for 15 minutes.</p> <p data-bbox="403 1240 1024 1422">For nearshore survey operations utilizing vessels that lack the personnel capacity to hold two (2) MWMs aboard during survey operations, at least twenty-one (21) days prior to the commencement of survey activities, the Permittee may petition the CSLC to conduct survey operations with one (1) MWM aboard. The CSLC will consider such authorization on a case-by-case basis and</p>	Equipment Type	Safety Zone (radius, m)	Single Beam Echosounder	50	Multibeam Echosounder	500	Side-Scan Sonar	600	Subbottom Profiler	100	Boomer System	100					<p data-bbox="1759 337 1892 375">8/22/18</p> <p data-bbox="1745 402 1892 464"><i>TCE</i></p>
Equipment Type	Safety Zone (radius, m)																	
Single Beam Echosounder	50																	
Multibeam Echosounder	500																	
Side-Scan Sonar	600																	
Subbottom Profiler	100																	
Boomer System	100																	

EXHIBIT H

Mitigation Monitoring Program


Mitigation Measure (MM)	Location and Scope of Mitigation	Effectiveness Criteria	Monitoring or Reporting Action	Responsible Party	Timing	Implementation Date(s) and Initials
	factors the CSLC will consider will include the timing, type, and location of the survey, the size of the vessel, and the availability of alternate vessels for conducting the proposed survey. CSLC authorizations under this subsection will be limited to individual surveys and under any such authorization; the Permittee shall update the MWCP to reflect how survey operations will occur under the authorization.					
MM BIO-4: Limits on Nighttime OGPP Surveys.	All State waters; nighttime survey operations are prohibited under the OGPP, except as provided below. The CSLC will consider the use of single beam echosounders and passive equipment types at night on a case-by-case basis, taking into consideration the equipment specifications, location, timing, and duration of survey activity.	No adverse effects to marine mammals or sea turtles due to survey activities are observed.	Presurvey request for nighttime operations, including equipment specifications and proposed use schedule. Document equipment use. Submit Final Monitoring Report after completion of survey activities.	OGPP permit holder.	Approval required before survey is initiated. Monitoring Report following completion of survey.	n/a
MM BIO-5: Soft Start.	All State waters; the survey operator shall use a "soft start" technique at the beginning of survey activities each day (or following a shut down) to allow any marine mammal that may be in the immediate area to leave before the sound sources reach full energy. Surveys shall not commence at nighttime or when the safety zone cannot be effectively monitored. Operators shall initiate each piece of equipment at the lowest practical sound level, increasing output in such a manner as to increase in steps not exceeding approximately 6 decibels (dB) per 5-minute period. During ramp-up, the Marine Wildlife Monitors (MWMs) shall monitor the safety zone. If marine mammals are sighted within or about to enter the safety zone, a power-down or shut down shall be implemented as though the equipment was operating at full power. Initiation of ramp-up procedures from shut down requires that the MWMs be able to visually observe the full safety zone.	No adverse effects to marine mammals or sea turtles due to survey activities are observed.	Compliance with permit requirements (observers); compliance with safe start procedures. Submit Final Monitoring Report after completion of survey activities.	OGPP permit holder.	Immediately prior to survey.	9/12/18 

EXHIBIT H

Mitigation Monitoring Program

Mitigation Measure (MM)	Location and Scope of Mitigation	Effectiveness Criteria	Monitoring or Reporting Action	Responsible Party	Timing	Implementation Date(s) and Initials
<p>MM BIO-6: Practical Limitations on Equipment Use and Adherence to Equipment Manufacturer's Routine Maintenance Schedule.</p>	<p>All State waters; geophysical operators shall follow, to the maximum extent possible, the guidelines of Zykov (2013) as they pertain to the use of subbottom profilers and side-scan sonar, including:</p> <ul style="list-style-type: none"> Using the highest frequency band possible for the subbottom profiler; Using the shortest possible pulse length; and Lowering the pulse rate (pings per second) as much as feasible. <p>Geophysical operators shall consider the potential applicability of these measures to other equipment types (e.g., boomer). Permit holders will conduct routine inspection and maintenance of acoustic-generating equipment to ensure that low energy geophysical equipment used during permitted survey activities remains in proper working order and within manufacturer's equipment specifications. Verification of the date and occurrence of such equipment inspection and maintenance shall be provided in the required presurvey notification to CSLC.</p>	<p>No adverse effects to marine mammals or sea turtles due to survey activities are observed.</p>	<p>Document initial and during survey equipment settings.</p> <p>Submit Final Monitoring Report after completion of survey activities.</p>	<p>OGPP permit holder.</p>	<p>Immediately prior to and during survey.</p>	<p>9/12/18 <i>TCE</i></p>
<p>MM BIO-7: Avoidance of Pinniped Haul-Out Sites.</p>	<p>The Marine Wildlife Contingency Plan (MWCP) developed and implemented for each survey shall include identification of haul-out sites within or immediately adjacent to the proposed survey area. For surveys within 300 meters (m) of a haul-out site, the MWCP shall further require that:</p> <ul style="list-style-type: none"> The survey vessel shall not approach within 91 m of a haul-out site, consistent with National Marine Fisheries Service (NMFS) guidelines; Survey activity close to haul-out sites shall be conducted in an expedited manner to minimize the potential for disturbance of pinnipeds on land; and Marine Wildlife Monitors shall monitor pinniped activity onshore as the vessel approaches, observing and reporting on the number of pinnipeds potentially disturbed (e.g., via head lifting, flushing into the water). The purpose of such reporting is to provide CSLC and California Department of Fish and Wildlife (CDFW) with information regarding potential disturbance associated with OGPP surveys. 	<p>No adverse effects to pinnipeds at haul outs are observed.</p>	<p>Document pinniped reactions to vessel presence and equipment use.</p> <p>Submit Final Monitoring Report after completion of survey activities.</p>	<p>OGPP permit holder.</p>	<p>Monitoring Report following completion of survey.</p>	<p>9/17/18 <i>TCE</i></p>

EXHIBIT H

Mitigation Monitoring Program


Mitigation Measure (MM)	Location and Scope of Mitigation	Effectiveness Criteria	Monitoring or Reporting Action	Responsible Party	Timing	Implementation Date(s) and Initials
<p>MM BIO-8: Reporting Requirements – Collision.</p>	<p>All State waters; if a collision with marine mammal or reptile occurs, the vessel operator shall document the conditions under which the accident occurred, including the following:</p> <ul style="list-style-type: none"> • Vessel location (latitude, longitude) when the collision occurred; • Date and time of collision; • Speed and heading of the vessel at the time of collision; • Observation conditions (e.g., wind speed and direction, swell height, visibility in miles or kilometers, and presence of rain or fog) at the time of collision; • Species of marine wildlife contacted (if known); • Whether an observer was monitoring marine wildlife at the time of collision; and, • Name of vessel, vessel owner/operator, and captain officer in charge of the vessel at time of collision. <p>After a collision, the vessel shall stop, if safe to do so; however, the vessel is not obligated to stand by and may proceed after confirming that it will not further damage the animal by doing so. The vessel will then immediately communicate by radio or telephone all details to the vessel's base of operations, and shall immediately report the incident. Consistent with Marine Mammal Protection Act requirements, the vessel's base of operations or, if an onboard telephone is available, the vessel captain him/herself, will then immediately call the National Oceanic and Atmospheric Administration (NOAA) Stranding Coordinator to report the collision and follow any subsequent instructions. From the report, the Stranding Coordinator will coordinate subsequent action, including enlisting the aid of marine mammal rescue organizations, if appropriate. From the vessel's base of operations, a telephone call will be placed to the Stranding Coordinator, NOAA National Marine Fisheries Service (NMFS), Southwest Region, Long Beach, to obtain instructions. Although NOAA has primary responsibility for marine mammals in both State and Federal waters, the California Department of Fish and Wildlife (CDFW) will also be advised that an incident has occurred in State waters affecting a protected species.</p>	<p>No adverse effects to marine mammals or sea turtles due to survey activities are observed.</p>	<p>Submit Final Monitoring Report after completion of survey activities.</p>	<p>OGPP permit holder.</p>	<p>Monitoring Report following completion of survey.</p>	<p>9/17/18 </p>

EXHIBIT H

Mitigation Monitoring Program





Mitigation Measure (MM)	Location and Scope of Mitigation	Effectiveness Criteria	Monitoring or Reporting Action	Responsible Party	Timing	Implementation Date(s) and Initials
MM BIO-9: Limitations on Survey Operations in Select Marine Protected Areas (MPAs).	All MPAs; prior to commencing survey activities, geophysical operators shall coordinate with the CSLC, California Department of Fish and Wildlife (CDFW), and any other appropriate permitting agency regarding proposed operations within MPAs. The scope and purpose of each survey proposed within a MPA shall be defined by the permit holder, and the applicability of the survey to the allowable MPA activities shall be delineated by the permit holder. If deemed necessary by CDFW, geophysical operators will pursue a scientific collecting permit, or other appropriate authorization, to secure approval to work within a MPA, and shall provide a copy of such authorization to the CSLC as part of the required presurvey notification to CSLC. CSLC, CDFW, and/or other permitting agencies may impose further restrictions on survey activities as conditions of approval.	No adverse effects to MPA resources due to survey activities are observed.	Monitor reactions of wildlife to survey operations; report on shutdown conditions and survey restart. Submit Final Monitoring Report after completion of survey activities.	OGPP permit holder; survey permitted by CDFW.	Prior to survey.	8/22/18 
MM HAZ-1: Oil Spill Contingency Plan (OSCP) Required Information.	Permittees shall develop and submit to CSLC staff for review and approval an OSCP that addresses accidental releases of petroleum and/or non-petroleum products during survey operations. Permittees' OSCPs shall include the following information for each vessel to be involved with the survey: <ul style="list-style-type: none"> • Specific steps to be taken in the event of a spill, including notification names, phone numbers, and locations of: (1) nearby emergency medical facilities, and (2) wildlife rescue/response organizations (e.g., Oiled Wildlife Care Network); • Description of crew training and equipment testing procedures; and • Description, quantities, and location of spill response equipment onboard the vessel. 	Reduction in the potential for an accidental spill. Proper and timely response and notification of responsible parties in the event of a spill.	Documentation of proper spill training. Notification of responsible parties in the event of a spill.	OGPP permit holder and contract vessel operator.	Prior to survey.	8/22/18 
MM HAZ-2: Vessel fueling restrictions.	Vessel fueling shall only occur at an approved docking facility. No cross vessel fueling shall be allowed.	Reduction in the potential for an accidental spill.	Documentation of fueling activities.	Contract vessel operator.	Following survey.	9/12-9/14 
MM HAZ-3: OSCP equipment and supplies.	Onboard spill response equipment and supplies shall be sufficient to contain and recover the worst-case scenario spill of petroleum products as outlined in the OSCP.	Proper and timely response in the event of a spill.	Notification to CSLC of onboard spill response equipment/supplies inventory, verify	Contract vessel operator.	Prior to survey.	9/12/18 

EXHIBIT H

Mitigation Monitoring Program

Mitigation Measure (MM)	Location and Scope of Mitigation	Effectiveness Criteria	Monitoring or Reporting Action	Responsible Party	Timing	Implementation Date(s) and Initials
			ability to respond to worst-case spill.			
MM HAZ-1: Oil Spill Contingency Plan (OSCP) Required Information.	Outlined under Hazards and Hazardous Materials (above)					
MM HAZ-2: Vessel fueling restrictions.	Outlined under Hazards and Hazardous Materials (above)					
MM HAZ-3: OSCP equipment and supplies.	Outlined under Hazards and Hazardous Materials (above)					
MM BIO-9: Limitations on Survey Operations in Select MPAs.	Outlined under Biological Resources (above)					
MM REC-1: U.S. Coast Guard (USCG), Harbormaster, and Dive Shop Operator Notification.	All California waters where recreational diving may occur; as a survey permit condition, the CSLC shall require Permittees to provide the USCG with survey details, including information on vessel types, survey locations, times, contact information, and other details of activities that may pose a hazard to divers so that USCG can include the information in the Local Notice to Mariners, advising vessels to avoid potential hazards near survey areas. Furthermore, at least twenty-one (21) days in advance of in-water activities, Permittees shall: (1) post such notices in the harbormasters' offices of regional harbors; and (2) notify operators of dive shops in coastal locations adjacent to the proposed offshore survey operations.	No adverse effects to recreational divers from survey operations.	Notify the USCG, local harbormasters, and local dive shops of planned survey activity. Submit Final Monitoring Report after completion of survey activities.	OGPP permit holder.	Prior to survey.	8/22/18 <i>TCE</i>

EXHIBIT H

Mitigation Monitoring Program

Mitigation Measure (MM)	Location and Scope of Mitigation	Effectiveness Criteria	Monitoring or Reporting Action	Responsible Party	Timing	Implementation Date(s) and Initials
MM FISH-1: U.S. Coast Guard (USCG) and Harbormaster Notification.	All California waters; as a survey permit condition, the CSLC shall require Permittees to provide the USCG with survey details, including information on vessel types, survey locations, times, contact information, and other details of activities that may pose a hazard to mariners and fishers so that USCG can include the information in the Local Notice to Mariners, advising vessels to avoid potential hazards near survey areas. Furthermore, at least twenty-one (21) days in advance of in-water activities, Permittees shall post such notices in the harbormasters' offices of regional harbors.	No adverse effects to commercial fishing gear in place.	Notify the USCG and local harbormasters of planned survey activity. Submit Final Monitoring Report after completion of survey activities.	OGPP permit holder.	Prior to survey.	
MM FISH-2: Minimize Interaction with Fishing Gear.	To minimize interaction with fishing gear that may be present within a survey area: (1) the geophysical vessel (or designated vessel) shall traverse the proposed survey corridor prior to commencing survey operations to note and record the presence, type, and location of deployed fishing gear (i.e., buoys); (2) no survey lines within 30 m (100 feet) of observed fishing gear shall be conducted. The survey crew shall not remove or relocate any fishing gear; removal or relocation shall only be accomplished by the owner of the gear upon notification by the survey operator of the potential conflict.	No adverse effects to commercial fishing gear in place.	Visually observe the survey area for commercial fishing gear. Notify the gear owner and request relocation of gear outside survey area. Submit Final Monitoring Report after completion of survey activities.	OGPP permit holder.	Immediately prior to survey (prior to each survey day).	
MM FISH-1: USCG and Harbormaster Notification.	Outlined under Commercial and Recreational Fisheries (above)					

Acronyms/Abbreviations: CARB = California Air Resources Board; CDFW = California Department of Fish and Wildlife; CSLC = California State Lands Commission; dB = decibels; kHz = kilohertz; MPA = Marine Protected Area; MWCP = Marine Wildlife Contingency Plan; MWM = Marine Wildlife Monitor; m= meter(s); NOAA = National Oceanic and Atmospheric Administration; NO_x = Nitrogen Oxide; OGPP = Offshore Geophysical Permit Program; OSCP = Oil Spill Contingency Plan; USCG = U.S. Coast Guard