

Cruise Report – Coral Sea Geophysical Survey (PRC 8394)
U.S. Geological Survey Research Cruise
Southern Cascadia, northern California & southern Oregon
October 6-17, 2018
Janet Watt (PI), Tim Elfers
USGS Pacific Coastal and Marine Geology Science Center

Summary

As part of a USGS multi-program effort to advance subduction zone science, scientists from the USGS Coastal and Marine Geology program (Pacific Coastal and Marine Science Center and Woods Hole Science Center) collaborated with academic colleagues at Humboldt State University to investigate the onshore/offshore geohazards (earthquake, landslide, tsunami), upper plate fault mechanics, and source-to-sink sedimentary dynamics of southern Cascadia. The survey was focused on imaging the Quaternary structure and stratigraphy along upper plate faults and along the deformation front of the subduction zone, expanding on previous high-resolution imaging efforts offshore Eureka, CA (e.g. STRATAFORM) and crustal-scale seismic imaging along the margin that had limited to no fidelity within the Quaternary section. In particular, this effort documents the first use of high-resolution sparker MCS in deepwater areas along the toe of the subduction zone (~3000 – 3200 m water depths).

Marine Mammal Mitigation

A primary requirement of the permits is that trained marine mammal observers (MMOs) be on board the research vessel during data acquisition operations to record all marine mammal sightings and ensure that the seismic reflection sound source is shut down whenever a marine mammal enters within a specified radius (80 m for chirp, 166 m for sparker) around the sound source. The USGS sound sources used for this survey were 1) an Edgetech SB-0512i Chirp sub bottom profiler and 2) an Applied Acoustics CSP 2400 Sparker. The source signal frequency bandwidths for these two systems are 0.5 to 12 kHz and 300 Hz to 500 kHz, respectively. Boat speed during acquisition of seismic data was typically in the range of 4 to 5 nautical miles per hour. Soft start techniques were used to bring each system on line at the beginning of each operational day.

Observations

The research cruise (USGS cruise ID 2017-658-FA) took place aboard the HSU vessel *RV Coral Sea* from October 6-17, 2018. Participating trained marine mammal observers (MMOs) were Janet Watt and Danny Brothers. Only 3 profiles were collected in state waters during the survey duration. MCS data were collected on lines 8 and 9, but the CHIRP was not operating. MCS and CHIRP data were collected on line 24 in state waters, but this line was run at night, so no mammal observations/weather information was recorded. The sign-in sheet for MMOs, which includes descriptions of weather and other marine environmental variables, is included in Appendix A for 10/10/18 when lines 8 and 9 were run. No shut downs of the sound source were needed in state waters due to wildlife proximity during this survey.

Environmental Conditions

The environmental conditions for 10/10/18 are provided in the MMO log in form in Appendix B

Vessel Fueling

Prior to the cruise, the boat refueled in Eureka, CA on 10/05/18. There was no cross vessel fueling of the vessel.

Exhibit H

A fully executed Exhibit H for this survey is provided in Appendix C.




Figure 1. Marine wildlife observation points (NONE) and vessel track lines (blue)

Table 1. Survey Track Lines

LINE,X_start,Y_start,X_end,Y_end

MCS LINES

- 1,-124.3907,40.7545,-124.5831,40.8964
- 2,-124.5798,40.901,-124.3116,40.8427
- 3,-124.3094,40.8467,-124.5103,41.0016
- 4,-124.5045,41.0036,-124.2581,40.9441
- 5,-124.2599,40.9513,-124.5298,41.1665
- 6,-124.6209,41.2393,-124.2812,41.156
- 7,-124.2693,41.1489,-124.354,40.7673
- 8,-124.359,40.6775,-124.335,40.669
- 9,-124.3353,40.6703,-124.2555,41.116
- 10,-124.2575,41.123,-124.2556,41.6853
- 11,-124.2697,41.6909,-124.3521,41.701
- 12,-124.3767,41.6831,-124.3729,41.0575
- 13,-124.3817,41.0607,-124.8225,41.1181

14,-124.8251,41.1207,-124.8417,41.1803
15,-124.8385,41.1831,-124.2273,41.4101
16,-124.232,41.415,-124.9025,41.4159
17,-124.9133,41.4396,-124.914,41.5091
18,-124.9093,41.512,-124.2855,41.5376
19,-124.2778,41.5414,-124.4884,41.66
20,-124.491,41.6632,-124.4951,41.838
21,-124.4893,41.8475,-124.3249,41.9755
22,-124.3362,41.9875,-124.3353,41.8889
23,-124.318,41.8975,-124.3086,41.9335
24,-124.3116,41.9412,-124.4032,42.1014
25,-124.5127,42.2131,-124.3484,41.9233
26,-124.3532,41.9013,-124.5618,41.9237
27,-124.5651,41.9154,-124.5609,41.6577
28,-124.5747,41.6559,-124.667,41.699
28b,-124.6733,41.7016,-124.7472,41.7392
30,-124.7497,41.7456,-124.756,41.7655
31,-124.7571,41.7641,-124.5411,41.02
32,-124.5457,41.0138,-124.8113,40.9855
32b,-124.8151,40.9852,-125.0034,40.9654
33,-125.0085,40.9677,-125.123,41.2654
34,-125.123,41.2673,-124.993,41.2731
34b,-124.9919,41.2732,-124.7482,41.2821
35,-124.7462,41.2864,-124.7586,41.3831
36,-124.7706,41.3848,-125.0052,41.3791
36b,-125.011,41.3789,-125.1625,41.3752
37,-125.1713,41.3802,-125.2697,41.7066
38,-125.2661,41.7083,-125.0883,41.7178
38b,-125.0854,41.718,-124.7541,41.737
39,-124.7481,41.7406,-124.7794,42.1222
40,-124.7928,42.1898,-125.0741,42.1963
40b,-125.0795,42.1965,-125.479,42.2052
41,-125.4865,42.202,-125.3185,41.8723
42,-125.3131,41.8716,-125.1075,41.9457
42b,-125.0988,41.9465,-124.5299,42.1265
43,-124.5303,42.114,-124.8544,41.8359
44,-124.8542,41.8344,-124.7652,41.7372
45,-124.759,41.7365,-124.569,41.7373
45b,-124.5586,41.7374,-124.3895,41.7389

CHIRP LINES

14,-124.8251,41.1207,-124.8417,41.1803
15,-124.8385,41.1831,-124.2273,41.4101
16,-124.232,41.415,-124.9025,41.4159
17,-124.9133,41.4396,-124.914,41.5091
18,-124.9093,41.512,-124.2855,41.5376
19,-124.2778,41.5414,-124.4884,41.66
20,-124.491,41.6632,-124.4951,41.838

21,-124.4893,41.8475,-124.3249,41.9755
22,-124.3362,41.9875,-124.3353,41.8889
23,-124.318,41.8975,-124.3086,41.9335
24,-124.3116,41.9412,-124.4032,42.1014
25,-124.5127,42.2131,-124.3484,41.9233
26,-124.3532,41.9013,-124.5618,41.9237
27,-124.5651,41.9154,-124.5609,41.6577
28,-124.5747,41.6559,-124.667,41.699
28b,-124.6733,41.7016,-124.7472,41.7392
30,-124.7497,41.7456,-124.756,41.7655
31,-124.7571,41.7641,-124.5411,41.02
32,-124.5457,41.0138,-124.8113,40.9855
32b,-124.8151,40.9852,-125.0034,40.9654
33,-125.0085,40.9677,-125.123,41.2654
34,-125.123,41.2673,-124.993,41.2731
34b,-124.9919,41.2732,-124.7482,41.2821
35,-124.7462,41.2864,-124.7586,41.3831
36,-124.7706,41.3848,-125.0052,41.3791
36b,-125.011,41.3789,-125.1625,41.3752
37,-125.1713,41.3802,-125.2697,41.7066
38,-125.2661,41.7083,-125.0883,41.7178
38b,-125.0854,41.718,-124.7541,41.737
39,-124.7481,41.7406,-124.7794,42.1222
40,-124.7928,42.1898,-125.0741,42.1963
40b,-125.0795,42.1965,-125.479,42.2052
41,-125.4865,42.202,-125.3185,41.8723
42,-125.3131,41.8716,-125.1075,41.9457
42b,-125.0988,41.9465,-124.5299,42.1265
43,-124.5303,42.114,-124.8544,41.8359
44,-124.8542,41.8344,-124.7652,41.7372
45,-124.759,41.7365,-124.569,41.7373
45b,-124.5586,41.7374,-124.3895,41.7389

Table 2. Marine Mammal Observations

No observations in state waters

Appendix A: Coral Sea Marine Wildlife Observation Forms

Appendix B: Coral Sea Survey Weather Observation Forms

Appendix C: Coral Sea Survey Exhibit H

Marine Environmental Variables Form

Date: 10/10/18

Monitor: Denny

WAVO Sign-in	Time	Latitude	Longitude	Vessel Activity	Weather	Cloud Cover	Glare	Visibility	Wind Speed	Sea State	Swell Height	Comments
DB	21205	40 40.3	129 20.85	4.5 kt survey	60°	none		clear	15 kt		6-8'	Begin deployment of gear starting 15H 15'

EXHIBIT H

Mitigation Monitoring Program


Mitigation Measure (MM)	Location and Scope of Mitigation	Effectiveness Criteria	Monitoring or Reporting Action	Responsible Party	Timing	Implementation Date(s) and Initials
Air Quality and Greenhouse Gas (GHG) Emissions (MND Section 3.3.3)						
MM AIR-1: Engine Tuning, Engine Certification, and Fuels. The following measures will be required to be implemented by all Permittees under the Offshore Geophysical Permit Program (OGPP), as applicable depending on the county offshore which a survey is being conducted. Pursuant to section 93118.5 of CARB's Airborne Toxic Control Measures, the Tier 2 engine requirement applies only to diesel-fueled vessels.	<u>All Counties:</u> Maintain all construction equipment in proper tune according to manufacturers' specifications; fuel all off-road and portable diesel-powered equipment with California Air Resources Board (CARB)-certified motor vehicle diesel fuel limiting sulfur content to 15 parts per million or less (CARB Diesel).	Daily emissions of criteria pollutants during survey activities are minimized.	Determine engine certification of vessel engines. Review engine emissions data to assess compliance, determine if changes in tuning or fuel are required.	OGPP permit holder and contract vessel operator; California State Lands Commission (CSLC) review of Final Monitoring Report.	Prior to, during, and after survey activities. Submit Final Monitoring Report after completion of survey activities.	 9/14/2018
	<u>Los Angeles and Orange Counties:</u> Use vessel engines meeting CARB's Tier 2-certified engines or cleaner; the survey shall be operated such that daily NO _x emissions do not exceed 100 pounds based on engine certification emission factors. This can be accomplished with Tier 2 engines if daily fuel use is 585 gallons or less, and with Tier 3 engines if daily fuel use is 935 gallons or less.	Verify that Tier 2 or cleaner engines are being used. Calculate daily NO _x emissions to verify compliance with limitations.				
	<u>San Luis Obispo County:</u> Use vessel engines meeting CARB's Tier 2-certified engines or cleaner, accomplished with Tier 2 engines if daily fuel use is 585 gallons or less; all diesel equipment shall not idle for more than 5 minutes; engine use needed to maintain position in the water is not considered idling; diesel idling within 300 meters (1,000 feet) of sensitive receptors is not permitted; use alternatively fueled construction equipment on site where feasible, such as compressed natural gas, liquefied natural gas, propane or biodiesel.	Verify that Tier 2 or cleaner engines are being used. Inform vessel operator(s) of idling limitation. Investigate availability of alternative fuels.				
	<u>Santa Barbara County:</u> Use vessel engines meeting CARB's Tier 2-certified engines or cleaner, accomplished with Tier 2 engines if daily fuel use is 790 gallons or less.	Verify that Tier 2 or cleaner engines are being used. Investigate availability of alternative fuels.				
	<u>Ventura County:</u> Use alternatively fueled construction equipment on site where feasible, such as compressed natural gas, liquefied natural gas, propane or biodiesel.	Investigate availability of alternative fuels.				

EXHIBIT H

Mitigation Monitoring Program




Mitigation Measure (MM)	Location and Scope of Mitigation	Effectiveness Criteria	Monitoring or Reporting Action	Responsible Party	Timing	Implementation Date(s) and Initials
MM BIO-1: Marine Mammal and Sea Turtle Presence – Current Information.	All State waters; prior to commencement of survey operations, the geophysical operator shall: (1) contact the National Oceanic and Atmospheric Administration Long Beach office staff and local whale-watching operations and shall acquire information on the current composition and relative abundance of marine wildlife offshore, and (2) convey sightings data to the vessel operator and crew, survey party chief, and onboard Marine Wildlife Monitors (MWMs) prior to departure. This information will aid the MWMs by providing data on the approximate number and types of organisms that may be in the area.	No adverse effects to marine mammals or sea turtles due to survey activities are observed.	Document contact with appropriate sources. Submit Final Monitoring Report after completion of survey activities.	OGPP permit holder; Inquiry to NOAA and local whale watching operators.	Prior to survey.	 10/5/2018
MM BIO-2: Marine Wildlife Monitors (MWMs).	Except as provided in section 7(h) of the General Permit, a minimum of two (2) qualified MWMs who are experienced in marine wildlife observations shall be onboard the survey vessel throughout both transit and data collection activities. The specific monitoring, observation, and data collection responsibilities shall be identified in the Marine Wildlife Contingency Plan required as part of all Offshore Geophysical Permit Program permits. Qualifications of proposed MWMs shall be submitted to the National Oceanic and Atmospheric Administration (NOAA) and CSLC at least twenty-one (21) days in advance of the survey for their approval by the agencies. Survey operations shall not commence until the CSLC approves the MWMs.	Competent and professional monitoring or marine mammals and sea turtles; compliance with established monitoring policies.	Document contact with and approval by appropriate agencies. Submit Final Monitoring Report after completion of survey activities.	OGPP permit holder.	Prior to survey.	 10/5/2018
MM BIO-3: Safety Zone Monitoring.	Onboard Marine Wildlife Monitors (MWMs) responsible for observations during vessel transit shall be responsible for monitoring during the survey equipment operations. All visual monitoring shall occur from the highest practical vantage point aboard the survey vessel; binoculars shall be used to observe the surrounding area, as appropriate. The MWMs will survey an area (i.e., safety or exclusion zone) based on the equipment used, centered on the sound source (i.e., vessel, towfish), throughout time that the survey equipment is operating. Safety zone radial distances, by equipment type, include:	No adverse effects to marine mammals or sea turtles due to survey activities are observed; compliance with established safety zones.	Compliance with permit requirements (observers); compliance with established safety zones. Submit Final Monitoring Report after completion of survey activities.	OGPP permit holder.	Prior to survey.	 10/5/2018

EXHIBIT H

Mitigation Monitoring Program

Mitigation Measure (MM)	Location and Scope of Mitigation	Effectiveness Criteria	Monitoring or Reporting Action	Responsible Party	Timing	Implementation Date(s) and Initials												
	<table border="1" data-bbox="464 293 968 496"> <thead> <tr> <th data-bbox="464 293 781 347">Equipment Type</th> <th data-bbox="781 293 968 347">Safety Zone (radius, m)</th> </tr> </thead> <tbody> <tr> <td data-bbox="464 347 781 378">Single Beam Echosounder</td> <td data-bbox="781 347 968 378">50</td> </tr> <tr> <td data-bbox="464 378 781 409">Multibeam Echosounder</td> <td data-bbox="781 378 968 409">500</td> </tr> <tr> <td data-bbox="464 409 781 440">Side-Scan Sonar</td> <td data-bbox="781 409 968 440">600</td> </tr> <tr> <td data-bbox="464 440 781 470">Subbottom Profiler</td> <td data-bbox="781 440 968 470">100</td> </tr> <tr> <td data-bbox="464 470 781 496">Boomer System</td> <td data-bbox="781 470 968 496">100</td> </tr> </tbody> </table> <p data-bbox="403 526 1024 1211">If the geophysical survey equipment is operated at or above a frequency of 200 kilohertz (kHz), safety zone monitoring and enforcement is not required; however, if geophysical survey equipment operated at a frequency at or above 200 kHz is used simultaneously with geophysical survey equipment less than 200 kHz, then the safety zone for the equipment less than 200 kHz must be monitored. The onboard MWMs shall have authority to stop operations if a mammal or turtle is observed within the specified safety zone and may be negatively affected by survey activities. The MWMs shall also have authority to recommend continuation (or cessation) of operations during periods of limited visibility (i.e., fog, rain) based on the observed abundance of marine wildlife. Periodic reevaluation of weather conditions and reassessment of the continuation/cessation recommendation shall be completed by the onboard MWMs. During operations, if an animal's actions are observed to be irregular, the monitor shall have authority to recommend that equipment be shut down until the animal moves further away from the sound source. If irregular behavior is observed, the equipment shall be shut-off and will be restarted and ramped-up to full power, as applicable, or will not be started until the animal(s) is/are outside of the safety zone or have not been observed for 15 minutes.</p> <p data-bbox="403 1240 1024 1422">For nearshore survey operations utilizing vessels that lack the personnel capacity to hold two (2) MWMs aboard during survey operations, at least twenty-one (21) days prior to the commencement of survey activities, the Permittee may petition the CSLC to conduct survey operations with one (1) MWM aboard. The CSLC will consider such authorization on a case-by-case basis and</p>	Equipment Type	Safety Zone (radius, m)	Single Beam Echosounder	50	Multibeam Echosounder	500	Side-Scan Sonar	600	Subbottom Profiler	100	Boomer System	100					
Equipment Type	Safety Zone (radius, m)																	
Single Beam Echosounder	50																	
Multibeam Echosounder	500																	
Side-Scan Sonar	600																	
Subbottom Profiler	100																	
Boomer System	100																	

EXHIBIT H

Mitigation Monitoring Program



Mitigation Measure (MM)	Location and Scope of Mitigation	Effectiveness Criteria	Monitoring or Reporting Action	Responsible Party	Timing	Implementation Date(s) and Initials
	factors the CSLC will consider will include the timing, type, and location of the survey, the size of the vessel, and the availability of alternate vessels for conducting the proposed survey. CSLC authorizations under this subsection will be limited to individual surveys and under any such authorization; the Permittee shall update the MWCP to reflect how survey operations will occur under the authorization.					
MM BIO-4: Limits on Nighttime OGPP Surveys.	All State waters; nighttime survey operations are prohibited under the OGPP, except as provided below. The CSLC will consider the use of single beam echosounders and passive equipment types at night on a case-by-case basis, taking into consideration the equipment specifications, location, timing, and duration of survey activity.	No adverse effects to marine mammals or sea turtles due to survey activities are observed.	Presurvey request for nighttime operations, including equipment specifications and proposed use schedule. Document equipment use. Submit Final Monitoring Report after completion of survey activities.	OGPP permit holder.	Approval required before survey is initiated. Monitoring Report following completion of survey.	 9/14/2018
MM BIO-5: Soft Start.	All State waters; the survey operator shall use a "soft start" technique at the beginning of survey activities each day (or following a shut down) to allow any marine mammal that may be in the immediate area to leave before the sound sources reach full energy. Surveys shall not commence at nighttime or when the safety zone cannot be effectively monitored. Operators shall initiate each piece of equipment at the lowest practical sound level, increasing output in such a manner as to increase in steps not exceeding approximately 6 decibels (dB) per 5-minute period. During ramp-up, the Marine Wildlife Monitors (MWMs) shall monitor the safety zone. If marine mammals are sighted within or about to enter the safety zone, a power-down or shut down shall be implemented as though the equipment was operating at full power. Initiation of ramp-up procedures from shut down requires that the MWMs be able to visually observe the full safety zone.	No adverse effects to marine mammals or sea turtles due to survey activities are observed.	Compliance with permit requirements (observers); compliance with safe start procedures. Submit Final Monitoring Report after completion of survey activities.	OGPP permit holder.	Immediately prior to survey.	 10/6/2018

EXHIBIT H

Mitigation Monitoring Program



Mitigation Measure (MM)	Location and Scope of Mitigation	Effectiveness Criteria	Monitoring or Reporting Action	Responsible Party	Timing	Implementation Date(s) and Initials
MM BIO-6: Practical Limitations on Equipment Use and Adherence to Equipment Manufacturer's Routine Maintenance Schedule.	All State waters; geophysical operators shall follow, to the maximum extent possible, the guidelines of Zykov (2013) as they pertain to the use of subbottom profilers and side-scan sonar, including: <ul style="list-style-type: none"> Using the highest frequency band possible for the subbottom profiler; Using the shortest possible pulse length; and Lowering the pulse rate (pings per second) as much as feasible. Geophysical operators shall consider the potential applicability of these measures to other equipment types (e.g., boomer). Permit holders will conduct routine inspection and maintenance of acoustic-generating equipment to ensure that low energy geophysical equipment used during permitted survey activities remains in proper working order and within manufacturer's equipment specifications. Verification of the date and occurrence of such equipment inspection and maintenance shall be provided in the required presurvey notification to CSLC.	No adverse effects to marine mammals or sea turtles due to survey activities are observed.	Document initial and during survey equipment settings. Submit Final Monitoring Report after completion of survey activities.	OGPP permit holder.	Immediately prior to and during survey.	 10/6/2018
MM BIO-7: Avoidance of Pinniped Haul-Out Sites.	The Marine Wildlife Contingency Plan (MWCP) developed and implemented for each survey shall include identification of haul-out sites within or immediately adjacent to the proposed survey area. For surveys within 300 meters (m) of a haul-out site, the MWCP shall further require that: <ul style="list-style-type: none"> The survey vessel shall not approach within 91 m of a haul-out site, consistent with National Marine Fisheries Service (NMFS) guidelines; Survey activity close to haul-out sites shall be conducted in an expedited manner to minimize the potential for disturbance of pinnipeds on land; and Marine Wildlife Monitors shall monitor pinniped activity onshore as the vessel approaches, observing and reporting on the number of pinnipeds potentially disturbed (e.g., via head lifting, flushing into the water). The purpose of such reporting is to provide CSLC and California Department of Fish and Wildlife (CDFW) with information regarding potential disturbance associated with OGPP surveys. 	No adverse effects to pinnipeds at haul outs are observed.	Document pinniped reactions to vessel presence and equipment use. Submit Final Monitoring Report after completion of survey activities.	OGPP permit holder.	Monitoring Report following completion of survey.	 3/18/2019

EXHIBIT H

Mitigation Monitoring Program


Mitigation Measure (MM)	Location and Scope of Mitigation	Effectiveness Criteria	Monitoring or Reporting Action	Responsible Party	Timing	Implementation Date(s) and Initials
MM BIO-8: Reporting Requirements – Collision.	<p>All State waters; if a collision with marine mammal or reptile occurs, the vessel operator shall document the conditions under which the accident occurred, including the following:</p> <ul style="list-style-type: none"> • Vessel location (latitude, longitude) when the collision occurred; • Date and time of collision; • Speed and heading of the vessel at the time of collision; • Observation conditions (e.g., wind speed and direction, swell height, visibility in miles or kilometers, and presence of rain or fog) at the time of collision; • Species of marine wildlife contacted (if known); • Whether an observer was monitoring marine wildlife at the time of collision; and, • Name of vessel, vessel owner/operator, and captain officer in charge of the vessel at time of collision. <p>After a collision, the vessel shall stop, if safe to do so; however, the vessel is not obligated to stand by and may proceed after confirming that it will not further damage the animal by doing so. The vessel will then immediately communicate by radio or telephone all details to the vessel's base of operations, and shall immediately report the incident. Consistent with Marine Mammal Protection Act requirements, the vessel's base of operations or, if an onboard telephone is available, the vessel captain him/herself, will then immediately call the National Oceanic and Atmospheric Administration (NOAA) Stranding Coordinator to report the collision and follow any subsequent instructions. From the report, the Stranding Coordinator will coordinate subsequent action, including enlisting the aid of marine mammal rescue organizations, if appropriate. From the vessel's base of operations, a telephone call will be placed to the Stranding Coordinator, NOAA National Marine Fisheries Service (NMFS), Southwest Region, Long Beach, to obtain instructions. Although NOAA has primary responsibility for marine mammals in both State and Federal waters, the California Department of Fish and Wildlife (CDFW) will also be advised that an incident has occurred in State waters affecting a protected species.</p>	No adverse effects to marine mammals or sea turtles due to survey activities are observed.	Submit Final Monitoring Report after completion of survey activities.	OGPP permit holder.	Monitoring Report following completion of survey.	 3/18/2019

EXHIBIT H

Mitigation Monitoring Program

Mitigation Measure (MM)	Location and Scope of Mitigation	Effectiveness Criteria	Monitoring or Reporting Action	Responsible Party	Timing	Implementation Date(s) and Initials
MM BIO-9: Limitations on Survey Operations in Select Marine Protected Areas (MPAs).	All MPAs; prior to commencing survey activities, geophysical operators shall coordinate with the CSLC, California Department of Fish and Wildlife (CDFW), and any other appropriate permitting agency regarding proposed operations within MPAs. The scope and purpose of each survey proposed within a MPA shall be defined by the permit holder, and the applicability of the survey to the allowable MPA activities shall be delineated by the permit holder. If deemed necessary by CDFW, geophysical operators will pursue a scientific collecting permit, or other appropriate authorization, to secure approval to work within a MPA, and shall provide a copy of such authorization to the CSLC as part of the required presurvey notification to CSLC. CSLC, CDFW, and/or other permitting agencies may impose further restrictions on survey activities as conditions of approval.	No adverse effects to MPA resources due to survey activities are observed.	Monitor reactions of wildlife to survey operations; report on shutdown conditions and survey restart. Submit Final Monitoring Report after completion of survey activities.	OGPP permit holder; survey permitted by CDFW.	Prior to survey.	N/A
MM HAZ-1: Oil Spill Contingency Plan (OSCP) Required Information.	Permittees shall develop and submit to CSLC staff for review and approval an OSCP that addresses accidental releases of petroleum and/or non-petroleum products during survey operations. Permittees' OSCPs shall include the following information for each vessel to be involved with the survey: <ul style="list-style-type: none"> • Specific steps to be taken in the event of a spill, including notification names, phone numbers, and locations of: (1) nearby emergency medical facilities, and (2) wildlife rescue/response organizations (e.g., Oiled Wildlife Care Network); • Description of crew training and equipment testing procedures; and • Description, quantities, and location of spill response equipment onboard the vessel. 	Reduction in the potential for an accidental spill. Proper and timely response and notification of responsible parties in the event of a spill.	Documentation of proper spill training. Notification of responsible parties in the event of a spill.	OGPP permit holder and contract vessel operator.	Prior to survey.	TCE 9/14/2018
MM HAZ-2: Vessel fueling restrictions.	Vessel fueling shall only occur at an approved docking facility. No cross vessel fueling shall be allowed.	Reduction in the potential for an accidental spill.	Documentation of fueling activities.	Contract vessel operator.	Following survey.	TCE 10/19/2018
MM HAZ-3: OSCP equipment and supplies.	Onboard spill response equipment and supplies shall be sufficient to contain and recover the worst-case scenario spill of petroleum products as outlined in the OSCP.	Proper and timely response in the event of a spill.	Notification to CSLC of onboard spill response equipment/supplies inventory, verify	Contract vessel operator.	Prior to survey.	TCE 10/6/2018

EXHIBIT H

Mitigation Monitoring Program


Mitigation Measure (MM)	Location and Scope of Mitigation	Effectiveness Criteria	Monitoring or Reporting Action	Responsible Party	Timing	Implementation Date(s) and Initials
			ability to respond to worst-case spill.			
MM HAZ-1: Oil Spill Contingency Plan (OSCP) Required Information.	Outlined under Hazards and Hazardous Materials (above)					
MM HAZ-2: Vessel fueling restrictions.	Outlined under Hazards and Hazardous Materials (above)					
MM HAZ-3: OSCP equipment and supplies.	Outlined under Hazards and Hazardous Materials (above)					
MM BIO-9: Limitations on Survey Operations in Select MPAs.	Outlined under Biological Resources (above)					
MM REC-1: U.S. Coast Guard (USCG), Harbormaster, and Dive Shop Operator Notification.	All California waters where recreational diving may occur; as a survey permit condition, the CSLC shall require Permittees to provide the USCG with survey details, including information on vessel types, survey locations, times, contact information, and other details of activities that may pose a hazard to divers so that USCG can include the information in the Local Notice to Mariners, advising vessels to avoid potential hazards near survey areas. Furthermore, at least twenty-one (21) days in advance of in-water activities, Permittees shall: (1) post such notices in the harbormasters' offices of regional harbors; and (2) notify operators of dive shops in coastal locations adjacent to the proposed offshore survey operations.	No adverse effects to recreational divers from survey operations.	Notify the USCG, local harbormasters, and local dive shops of planned survey activity. Submit Final Monitoring Report after completion of survey activities.	OGPP permit holder.	Prior to survey.	 9/14/2018

EXHIBIT H

Mitigation Monitoring Program

Mitigation Measure (MM)	Location and Scope of Mitigation	Effectiveness Criteria	Monitoring or Reporting Action	Responsible Party	Timing	Implementation Date(s) and Initials
MM FISH-1: U.S. Coast Guard (USCG) and Harbormaster Notification.	All California waters; as a survey permit condition, the CSLC shall require Permittees to provide the USCG with survey details, including information on vessel types, survey locations, times, contact information, and other details of activities that may pose a hazard to mariners and fishers so that USCG can include the information in the Local Notice to Mariners, advising vessels to avoid potential hazards near survey areas. Furthermore, at least twenty-one (21) days in advance of in-water activities, Permittees shall post such notices in the harbormasters' offices of regional harbors.	No adverse effects to commercial fishing gear in place.	Notify the USCG and local harbormasters of planned survey activity. Submit Final Monitoring Report after completion of survey activities.	OGPP permit holder.	Prior to survey.	
MM FISH-2: Minimize Interaction with Fishing Gear.	To minimize interaction with fishing gear that may be present within a survey area: (1) the geophysical vessel (or designated vessel) shall traverse the proposed survey corridor prior to commencing survey operations to note and record the presence, type, and location of deployed fishing gear (i.e., buoys); (2) no survey lines within 30 m (100 feet) of observed fishing gear shall be conducted. The survey crew shall not remove or relocate any fishing gear; removal or relocation shall only be accomplished by the owner of the gear upon notification by the survey operator of the potential conflict.	No adverse effects to commercial fishing gear in place.	Visually observe the survey area for commercial fishing gear. Notify the gear owner and request relocation of gear outside survey area. Submit Final Monitoring Report after completion of survey activities.	OGPP permit holder.	Immediately prior to survey (prior to each survey day).	
MM FISH-1: USCG and Harbormaster Notification.	Outlined under Commercial and Recreational Fisheries (above)					

Acronyms/Abbreviations: CARB = California Air Resources Board; CDFW = California Department of Fish and Wildlife; CSLC = California State Lands Commission; dB = decibels; kHz = kilohertz; MPA = Marine Protected Area; MWCP = Marine Wildlife Contingency Plan; MWM = Marine Wildlife Monitor; m= meter(s); NOAA = National Oceanic and Atmospheric Administration; NO_x = Nitrogen Oxide; OGPP = Offshore Geophysical Permit Program; OSCP = Oil Spill Contingency Plan; USCG = U.S. Coast Guard